15 Re & for Kopund



December 30, 2002

Commissioner for Patents and Trademarks
Office of Finance
Refund Section
Box 16
Washington, D.C. 20231

Re:

U.S. Patent Application Serial No.: 09/261209

Filed: March 3, 1999

Dual Mode Satellite/Cellular Terminal

Dear Sir:

During an inspection of the Monthly Statement of our Deposit Account (18-1167), our office found an error. It appears that the above-mentioned Deposit Account was erroneously charged \$110.00 to cover a one-month extension of time. However, Counsel neither requested, nor needed, an extension of time.

The Patent Office issued a Non-Final Office Action regarding the present application on June 4, 2002. Counsel for Applicant replied to the Office Action in a Response dated August 30, 2002, and deposited the Response as First Class mail on August 30, 2002. Thus, the date on which Counsel for Applicant responded is within the 3-month time-period for reply set by the Examiner. The Patent Office received the Response on September 5, 2002, and erroneously charged Deposit Account 18-1167 \$110.00. As proof, we hereby submit copies of the Monthly Statement Of Deposit Account, the return Postcard sent with the Response and stamped by the Patent Office, and the Response containing a Certificate of Mailing dated August 30, 2002.

Accordingly, we respectfully request that the Patent Office reimburse Deposit Account 18-1167 for \$110.00.

Sincerely,

Turn S. Pundol

Tami S. Purdue

4015-3028

1400 Crescent Green Suite 300 Cary, North Carolina 27511 tel: 919-854-1844 800-575-1278 fax: 919-854-2084 www.coatsandbennett.com

Patents, Trademarks, Copyrights, Trade Secrets, Licensing, and Related Litigation

> Larry L. Coats David E. Bennett John R. Owen David D. Kalish Edward H. Green III Anthony J. Biller

Michael D. Murphy* Stephen A. Herrera

*registered patent agent

in Re Application of:

Serial No.: 9/261209 Filed: March 3, 1999

For: DUAL MODE SATELLITE/CELLULAR TERMINAL

PAPERS SENT:

1. Response to OA

2. Postcard

Matter ID: 4015-3028 Date Mailed: August 30, 2002

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Karabinis et al.

Serial No.: 09/261,209

Filed: 3/3/99

For: DUAL MODE SATELLITE/CELLULAR
TERMINAL

Attorney's Docket No. 4015-3028

Raleigh, North Carolina

Box Non Fee Amendment Commissioner for Patents Washington, D.C. 20231

RESPONSE TO OFFICE ACTION

August 30, 2002

In reply to the Office Action dated June 4, 2002, Applicants submit the following Response. If any fees for the Response are due, Applicants submit that this be considered a Petition therefore, and the Commissioner is hereby authorized to charge Deposit Account 18-1167.

In the specification:

Please amend the paragraph beginning on page 1 after the title of the invention and before the "FIELD OF THE DISCLOSURE" as follows.

The instant patent application is a continuation of U.S. Patent No. 5,959,984 filed on December 22, 1997, which is a continuation of U.S. Patent No. 6,084,865 filed on July 23, 1997, which is a continuation of U.S. Patent No. 5,663,957 filed on July 12, 1995, and is related to issued patents: U.S. Patent No. 5,812,539, U.S. Patent No. 5,729,538, U.S. Patent No. 5,757,789, U.S. Patent No. 5,757,787.

In the claims:

Please amend claims 47-58 as follows.

- 47. (Amended) A communication system that communicates signal bursts between at least one mobile telephone and a satellite relay station comprising:

 a transmitter that transmits constant envelope modulated signal bursts from the mobile to the satellite relay station over an uplink RF channel; and a receiver that receives linearly modulated signal bursts from the satellite relay station at the mobile telephone over a downlink RF channel.
- 48. (Amended) The communication system of claim 47 wherein said constant envelope modulated signal is a Gaussian Minimum Shift Keyed (GMSK) modulated signal.
- 49. (Amended) The communication system of claim 47 wherein said linearly modulated signal is an Offset Quadrature Phase Shift Keying (OQPSK) signal.
- 50. (Amended) The communication system of claim 47 wherein said constant envelope modulated signal bursts and said linearly modulated signal bursts are TDMA signal bursts.
- 51. (Amended) A method of communicating signal bursts between at least one mobile telephone and a satellite relay station comprising the steps of: transmitting constant envelope modulated signal bursts from the mobile to the satellite relay station over an uplink RF channel; and receiving linearly modulated signal bursts from the satellite relay station at the mobile telephone over a downlink RF channel.

- 52. (Amended) The method of claim 51 wherein said constant envelope modulated signal is a Gaussian Minimum Shift Keyed (GMSK) modulated signal.
- 53. (Amended) The method of claim 51 wherein said linearly modulated signal is an Offset Quadrature Phase Shift Keying (OQPSK) signal.
- 54. (Amended) The method of claim 51 wherein said constant envelope modulated signal bursts and said linearly modulated signal bursts are TDMA signal bursts.
- 55. (Amended) In a communication system that communicates signal bursts between at least one mobile telephone and a satellite relay station over uplink and downlink radio frequency (RF) channels, said mobile telephone comprising:
 - a transmitter for transmitting a constant envelope modulated signal to the satellite relay station over an uplink RF channel; and
 - a receiver for receiving a linearly modulated signal from the satellite relay station over a downlink RF channel.
- 56. (Amended) The mobile telephone of claim 55 wherein said constant envelope modulated signal is a Gaussian Minimum Shift Keyed (GMSK) modulated signal.
- 57. (Amended) The mobile telephone of claim 55 wherein said linearly modulated signal is an Offset Quadrature Phase Shift Keying (OQPSK) signal.
- 58. (Amended) The mobile telephone of claim 55 wherein said constant envelope modulated signal bursts and said linearly modulated signal bursts are TDMA signal bursts.

REMARKS

Correspondence Address:

Applicants note to the Examiner that the file for the above-referenced application has been transferred to the firm of Coats and Bennett, P.L.L.C., in Cary North Carolina. If a Power of Attorney is not on file with the Patent Office, one will be filed shortly. Further, Applicants invite the Examiner to contact the undersigned to clarify any questions or concerns with respect to the Power of Attorney.

In the drawings:

The Examiner objected to the margins in Figures 2, 7-9, 14, and 16. In response, Applicants will submit official copies of the Figures, with corrected margins, upon the receipt of the Notice of Allowance.

35 U.S.C. §112 Rejections and Claim objections:

Applicants have amended the specification and claims without adding new matter, and without narrowing the scope thereof. However, the amendments are only necessary to correct the various informalities and typographical errors noted by the Examiner, and not to overcome any of the cited art.

35 U.S.C. §103(a) Rejections:

The Examiner rejected claims 47-58 as being unpatentable over Ziv et. al. in view of Hannah et. al. However, Applicants respectfully disagree with the Examiner's rejections, and request reconsideration in light of the following remarks.

Applicants' claimed invention relates to a method of communicating signal bursts between two stations, for example a mobile phone and a satellite relay station, using two <u>different</u> modulation techniques simultaneously. That is, <u>both</u> constant envelope

modulated signal bursts and linearly modulated signal bursts are communicated over a single transmit/receive channel pair (i.e., uplink/downlink). The language of claim 51 reflects this aspect of Applicants' invention, and explicitly requires "transmitting constant envelope modulated signal bursts from the mobile to the satellite relay station over an uplink RF channel [and] receiving linearly modulated signal bursts from the satellite relay station at the mobile phone over a downlink."

Ziv discloses linear modulation. Hannah discloses constant envelope amplitude. However, neither reference teaches or suggests using different modulation techniques on the uplink and downlink of a single channel pair. Thus, there is no suggestion or motivation to employ a first modulation scheme on the uplink and a second, <u>different</u> modulation scheme on the downlink, as required by the claims. The only place that this teaching appears is in Applicants' specification. As such, it appears as if the Examiner has engaged in improper hindsight reconstruction using Applicants' own disclosure as a blueprint.

Therefore, the §103 rejection should be withdrawn as improper as neither Ziv nor Hannah, alone or in combination, teach or suggest using <u>both</u> transmitting constant envelope modulated signal bursts <u>and</u> receiving linearly modulated signal bursts simultaneously on a single channel pair. Accordingly, Applicants respectfully request the allowance of claim 51, and its dependent claims 52-54.

Claims 47 and 55 are apparatus claims for carrying out the method of claim 51, and contain similar language. Thus, for the reasons stated above with respect to claim 51, claims 47 and 55 also define patentable subject matter over the cited art.

Accordingly, Applicants respectfully request the allowance of claims 47 and 55, as well as their respective dependent claims 48-50, and 56-58.

Attached hereto is a marked-up version of the changes made to the claims by the current amendment.

Respectfully submitted,

COATS & BENNETT, P.L.L.C.

By:

David E. Bennett Registration No. 32,194

Telephone: (919) 854-1844

I HEREBY CERTIFY THAT THIS DOCUMENT IS BEING DEPOSITED WITH THE UNITED STATES POSTAL SERVICE AS FIRST CLASS MAIL ON THE DATE INDICATED BELOW, POSTAGE PREPAID, IN AN ENVELOPE ADDRESSED TO: BOX NON FEE AMENDMENT, COMMISSIONER FOR PATENTS, WASHINGTON, D.C. 20231.

SIGNATURE: DATE MAILED:

Version with markings to show changes made

In the specification:

The paragraph beginning on page 1 after the title of the invention and before the "FIELD OF THE DISCLOSURE" has been amended as follows.

The instant patent application is a continuation of U.S. [Application Serial No. 08/996,153] Patent No. 5,959,984 filed on December 22, 1997, which is a continuation [application of U.S. Serial no. 08/899,389] of U.S. Patent No. 6,084,865 filed on July 23, 1997, which is a continuation [application of U.S. Serial No. 08/501,575] of U.S. Patent No. 5,663,957 filed on July 12, 1995, and is related to issued patents: U.S. Patent No. 5,812,539, U.S. Patent No. 5,729,538, U.S. Patent No. 5,757,789, U.S. Patent No. 5,757,787.

In the claims:

Claims 47-58 have been amended as follows.

- 47. (Amended) A communication system that communicates signal bursts between at least one mobile telephone and a satellite relay station comprising:
 - a transmitter that transmits constant envelope modulated signal bursts from the mobile to the satellite relay station over an uplink RF channel; and a receiver that receives linearly modulated signal bursts from the satellite relay station at the mobile telephone over a downlink RF channel.

- 48. (Amended) The communication system of claim 47 [that communicates signal bursts' between at least one mobile telephone and a satellite relay station comprising:
 - a transmitter that transmits constant envelop modulated signal bursts from the mobile to the satellite relay station over an uplink RF channel; and a receiver that receives linearly modulated signal bursts from the satellite
 - a receiver that receives linearly modulated signal bursts from the satellite relay station at the mobile telephone over a downlink RF channel,] wherein said constant envelope modulated signal is a Gaussian Minimum Shift Keyed (GMSK) modulated signal.
- 49. (Amended) The communication system of claim 47 [that communicates signal bursts between at least one mobile telephone and a satellite relay station comprising:
 - a transmitter that transmits constant envelop modulated signal bursts from
 the mobile to the satellite relay station over an uplink RF channel; and
 a receiver that receives linearly modulated signal bursts from the satellite
 relay station at the mobile telephone over a downlink RF channel,]
 wherein said linearly modulated signal is [a] an Offset Quadrature
 Phase Shift Keying (OQPSK) signal.
- 50. (Amended) The communication system of claim 47 [that communicates signal bursts between at least one mobile telephone and a satellite relay station comprising:
 - a transmitter that transmits constant envelop modulated signal bursts from the mobile to the satellite relay station over an uplink RF channel; and a receiver that receives linearly modulated signal bursts from the satellite relay station at the mobile telephone over a downlink RF channel,] wherein [the] said constant envelope modulated signal bursts and said linearly modulated signal bursts are TDMA signal bursts.

- 51. (Amended) A method of communicating signal bursts between at least one mobile telephone and a satellite relay station comprising the steps of: transmitting constant envelope modulated signal bursts from the mobile to the satellite relay station over an uplink RF channel; and receiving linearly modulated signal bursts from the satellite relay station at the mobile telephone over a downlink RF channel.
- 52. (Amended) The method of claim [50] 51 [communicating signal bursts between at least one mobile telephone and a satellite relay station comprising the steps of: transmitting constant envelop modulated signal bursts from the mobile to the satellite relay station over an uplink RF channel; and receiving linearly modulated signal bursts from the satellite relay station at the mobile telephone over a downlink RF channel,] wherein said constant envelope modulated signal is a <u>Gaussian Minimum Shift Keyed (GMSK)</u> modulated signal.
- 53. (Amended) The method of claim [50] 51 [communicating signal bursts between at least one mobile telephone and a satellite relay station comprising the steps of:

 transmitting constant envelop modulated signal bursts from the mobile to the satellite relay station over an uplink RF channel; and receiving linearly modulated signal bursts from the satellite relay station at the mobile telephone over a downlink RF channel,] wherein said linearly modulated signal is [a] an Offset Quadrature Phase Shift Keying (OQPSK) signal.

- 54. (Amended) The method of claim [50] 51 [communicating signal bursts between at least one mobile telephone and a satellite relay station comprising the steps of:

 transmitting constant envelop modulated signal bursts from the mobile to the satellite relay station over an uplink RF channel; and

 receiving linearly modulated signal bursts from the satellite relay station at the mobile telephone over a downlink RF channel,] wherein [the] said constant envelope modulated signal bursts and said linearly modulated signal bursts are TDMA signal bursts.
- 55. (Amended) In a communication system that communicates signal bursts between at least one mobile telephone[s] and a satellite relay station over uplink and downlink radio frequency (RF) channels, [a] said mobile telephone comprising:

 a transmitter for transmitting a constant envelope modulated signal to the satellite relay station over an uplink RF channel; and

 a receiver for receiving a linearly modulated signal from the satellite relay station over a downlink RF channel.
- 56. (Amended) The mobile telephone of claim 55 [that communicate signal bursts between mobile telephones and a satellite relay station over uplink and downlink radio frequency (RF) channels, a mobile telephone comprising:
 - a transmitter for transmitting a constant envelop modulated signal to the satellite relay station over an uplink RF channel; and
 - a receiver for receiving a linearly modulated signal from the satellite relay station over a downlink RF channel,] wherein said constant envelope modulated signal is a Gaussian Minimum Shift Keyed (GMSK) modulated signal.

- 57. (Amended) The mobile telephone of claim 55 [that communicate signal bursts between mobile telephones and a satellite relay station over uplink and downlink radio frequency (RF) channels, a mobile telephone comprising:
 - a transmitter for transmitting a constant envelop modulated signal to the satellite relay station over an uplink RF channel; and
 - a receiver for receiving a linearly modulated signal from the satellite relay station over a downlink RF channel,] wherein said linearly modulated signal is [a] an Offset Quadrature Phase Shift Keying (OQPSK) signal.
- 58. (Amended) The mobile telephone of claim 55 [that communicate signal bursts between mobile telephones and a satellite relay station over uplink and downlink radio frequency (RF) channels, a mobile telephone comprising:
 - a transmitter for transmitting a constant envelop modulated signal to the satellite relay station over an uplink RF channel; and
 - a receiver for receiving a linearly modulated signal from the satellite relay station over a downlink RF channel,] wherein [the] said constant envelope modulated signal bursts and said linearly modulated signal bursts are TDMA signal bursts.



UNITED STATES SEPARTMENT OF COMMERCE Patent and Trademark Office

Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231

MONTHLY STATEMENT OF DEPOSIT ACCOUNT

To replenish your Deposit Account, detach and return top portion with your check. Make check payable to Commissioner of Patents & Trademarks.

RHODES COATS & BENNETT LLP ATTN: TAMI S PURDUE

909 GLENWOOD AVENUE P O BOX 5

RALEIGH NC 27602

COVER ALL SERVICES REQUESTED MUST ALWAYS BE ON DEPOSIT.

Account No. 181167	
Date	9-30-02
Page	1

*** O.D. INDICATES OVERDRAW

FINA

PLEASE SEND REMITTANCES TO: Patent and Trademark Office P.O. Box 70541 Chicago, III. 60673

In Re Application of:

Serial No.: 9/261209 Filed: March 3, 1999

For: DUAL MODE SATELLITE/CELLULAR TERMINAL

PAPERS SENT:

Response to OA
 Postcard

Matter ID: 4015-3028
Date Mailed: August 30, 2002

